


VicFix J Profile

Installation Manual


EN



V//COUSTIC


✓ MATERIAL NEEDED

Included



VicFix J Profile 2m | 78.7" x 5/20

Not Included



Level




Drill



Wall Plugs and Screws



Ceiling Gauge x2




Cutting Tools




Measuring Tape

Wall Installation



Ceiling Installation




* The Wavewood pattern is merely indicative. This method is applied to any product that uses the J Profile fixation system.

1

Preparation of the J Profile.


1.1

Cut the J Profile to the desired length.



1.2


Drill the J Profile.




2

Wall Installation


2.1




2.2



3.1




3.2




1


Ceiling Installation: For Ceiling Installation we recommend you to buy the VicFix Gauge.




2



3



4



!

Please note: For ceiling installation do not use the VicFix J Profile sections supplied with the product. Use the VicFix J Profile 2m, sold separately. At both installations, it is recommended to leave some centimeters beyond the last panels to avoid them to lose contact with the VicFix J profile. In countries where earthquakes are likely to happen, it should be applied a blocking element such as an L profile to avoid the last panel to slide off the VicFix J profile. Vicoustic will not take responsibility for any mistakes/limitations occurring during installations or any damages resulting from falling panels.

Main Office, R&D & Logistics

Avenida do Pólo 3, N.º 159, Carvalhosa
4590-137 Paços de Ferreira, Portugal
T (+351) 255 136 746

Office

Rua Quinta do Bom Retiro N.º 16, Armazém 9
2820-690 Charneca da Caparica, Portugal
T (+351) 212 964 100

Info and Sales

E sales@vicoustic.com

www.vicoustic.com

