
VicFix Base


Installation Manual






✓ MATERIAL NEEDED

Included





Not Included




^{*} This product works with several products from the Legacy line.

This product can also be installed on the ceiling and wall with the VicFix J Profile 2m (sold separately). For corner installation, use the VicFix Corner (sold separately).










Please note: For ceiling installation do not use the VicFix J Profile sections supplied with the product. Use the VicFix J Profile 2m, sold separately. It is recommend to leave some centimeters beyond the last panel to avoid it to loose contact with the VicFix J profile. In countries where earthquakes are likely to happen, it should be applied a blocking element such as a L profile to avoid the last panel to slide off the VicFix J profile. Vicoustic will not take responsibility for any mistakes/ limitations occurring during installations or any damages resulting from falling panels.


Apply the glue to the inner surface of the VicFix Base, center the panel you want to glue and press them firmly against each other. You can use pieces of adhesive tape to press the two elements together until the glue is completely dry (about 3 hours).







Ways of using the gauge













Step by step installation.


If you want to install just one row of panels, do not install the bottom profile











Main Office, R&D & Logistics

Avenida do Pólo 3, № 159, Carvalhosa 4590-137 Paços de Ferreira, Portugal

Office

Rua Quinta do Bom Retiro Nº 16, Armazém 9 2820-690 Charneca da Caparica, Portugal T (+351) 212 964 100

Info and Sales

E sales@vicoustic.com

www.vicoustic.com



© Vicoustic, 2021 V6

No parts of this document might be copied and/or published without written consent of Vicoustic.